

IMPORTANT: Provide this information to employees, customers, and users of this product. Read this SDS before handling or disposing of this product. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard. All abbreviated terms used in this SDS are further described in Section 16.

1. Identification

This Safety Data Sheet is available in American Spanish upon request. Los Datos de Serguridad pueden obtenerse en Espanol si lo riquiere.

Product Name:	Touch N Foam Professional 1.75 PCF ICC Closed Cell 2K System 600 PU Foam Kit A Side	Revision Date:	11/29/2018
Product UPC Number:	075650626009, 10075650626013	Supercedes Date:	10/15/2018
Product Use/Class:	Foam Sealant/Adhesive	SDS No:	00047055508
Manufacturer:	DAP Foam, Inc. 307 Integram Drive Pacific, MO 63069 888-327-8477 (non - emergency matters) SDS Coordinator: MSDS@dap.com Emergency Telephone: Transportation: 1-800-535-5053 1-352-323-3500 Poison Control: 1-800-222-1222	Preparer:	Regulatory and Environmental Affairs

2. Hazards Identification

GHS Classification

Acute Tox. 4 Inhalation, Carc. 2, Comp. Gas, Eye Irrit. 2, Resp. Sens. 1, Skin Irrit. 2, Skin Sens. 1, STOT RE 2, STOT SE 3 NE, STOT SE 3 RTI

Symbol(s) of Product



Signal Word Danger

Possible Hazards 38% of the mixture consists of ingredients of unknown acute toxicity

···· · · · · · · · · · · · · · · · · ·		,		
GHS HAZARD STATEMENTS				
Compressed Gas	H280	Contains gas under pressure; may explode if heated.		
Skin Irritation, category 2	H315	Causes skin irritation.		
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.		
Eye Irritation, category 2	H319	Causes serious eye irritation.		
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.		
Respiratory Sensitizer, category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.		
STOT, single exposure, category 3, NE	H336	May cause drowsiness or dizziness.		
Carcinogenicity, category 2	H351	Suspected of causing cancer.		
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.		
GHS LABEL PRECAUTIONARY STATE	MENTS			
P201	Obtain spec	cial instructions before use.		
P260	Do not brea	athe dust/fume/gas/mist/vapours/spray.		
P264	Wash thoro	oughly after handling.		
P271	Use only ou	utdoors or in a well-ventilated area.		
P272	Contaminat	ted work clothing should not be allowed out of the workplace.		
P280	•	ctive gloves/protective clothing/eye protection/face protection.		
P281	•	al protective equipment as required.		
P284	-	inadequate ventilation] wear respiratory protection.		
P302+P352		I: Wash with plenty of soap and water.		
P304+P340		D: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338		: Rinse cautiously with water for several minutes. Remove contact lenses, if deasy to do. Continue rinsing.		
P308+P313	IF exposed	or concerned: Get medical advice/attention.		
P312	Call a POIS	SON CENTER or doctor/physician if you feel unwell.		
P321	Specific treater	atment (see on this label).		
P332+P313	If skin irritat	tion occurs: Get medical advice/attention.		
P333+P313	If skin irritat	tion or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritat	ion persists: Get medical advice/attention.		
P342+P311	•	ring respiratory symptoms: Call a POISON CENTER or doctor/physician.		
P362	Take off co	ntaminated clothing.		
P403+P233	Store in a w	vell-ventilated place. Keep container tightly closed.		
P405	Store locke	1		
P410+P403		n sunlight. Store in a well-ventilated place.		
P501	Dispose of	contents/container to		
GHS SDS PRECAUTIONARY STATEM	GHS SDS PRECAUTIONARY STATEMENTS			
P363	Wash conta	aminated clothing before reuse.		

3. Composition/Information on Ingredients

Chemical Name	CAS-No.	Wt. % GHS Symbols	GHS Statements
Polymeric diphenylmethane diisocyanate	9016-87-9	30-60 GHS07	H332

2-Butyne-1,4-diol, polymer with (chloromethyl) 68441-62-3 10-30 No Information No Information oxirane, brominated, dehydrochlorinated, methoxylated 4,4'-Methylene diphenyl diisocyanate (MDI) 101-68-8 10-30 GHS07-GHS08 H315-317-319-332-334-335-351 -373	SDS Number: 00047055508	SAP Number: 970	00050130	Revision Date: 11/29/2018
-373	oxirane, brominated, dehydrochlorinated,	68441-62-3	10-30 No Information	No Information
	4,4'-Methylene diphenyl diisocyanate (MDI)	101-68-8	10-30 GHS07-GHS08	
1, 1, 1, 2-1 ettailuoloethalle (TFC-134A) 011-97-2 10-30 GHS07 H330	1,1,1,2-Tetrafluoroethane (HFC-134A)	811-97-2	10-30 GHS07	H336
Poly[oxy(methyl-1,2-ethanediyl)], 37208-53-0 10-30 No Information No Information .alpha.,.alpha.',.alpha.''-(nitrilotri-2,1-ethanediyl)tris [.omegahydroxy-	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-(nitrilotri-2,1-ethanediyl)tris	37208-53-0	10-30 No Information	No Information
Tris(2-chloro-1-methylethyl) phosphate 13674-84-5 7-13 GHS07 H302-332	Tris(2-chloro-1-methylethyl) phosphate	13674-84-5	7-13 GHS07	H302-332
Poly[oxy(methyl-1,2-ethanediyl)], alpha 9049-71-2 5-10 No Information No Information hydroomegahydroxy-, ether with .betaD- fructofuranosyl .alphaD-glucopyranoside	hydroomegahydroxy-, ether with .betaD-	9049-71-2	5-10 No Information	No Information
1,1,1,3,3-Pentafluoropropane 460-73-1 1-5 No Information No Information	1,1,1,3,3-Pentafluoropropane	460-73-1	1-5 No Information	No Information
Oxirane, methyl-, polymer with oxirane, ether with 52019-35-9 1-5 No Information No Information 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4- nonylphenol (5:1)	2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-	52019-35-9	1-5 No Information	No Information
Triethyl phosphate 78-40-0 1-5 GHS06 H302-331	Triethyl phosphate	78-40-0	1-5 GHS06	H302-331

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

4. First-aid Measures

FIRST AID - INHALATION: If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention immediately.

FIRST AID - SKIN CONTACT: Wash skin with soap and water for 15 minutes. Get medical aid if symptoms persist. Use a rag to remove excess foam from skin and remove contaminated clothing. Use of a solvent, such as acetone (nail polish remover) or mineral spirits, may help in removing uncured foam residue from clothing or other surfaces (avoid eye contact). Cured foam may be physically removed by persistent washing with soap and water. If irritation develops, use mild skin cream. If irritation persists, obtain medical attention.

FIRST AID - EYE CONTACT: In case of contact, immediately flush eyes with large quantities of water for at least 15 minutes until irritation subsides. Get medical attention immediately.

FIRST AID - INGESTION: If swallowed, DO NOT INDUCE VOMITING. Get medical attention immediately.

5. Fire-fighting Measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may burst if exposed to extreme heat or fire. Containers may explode if exposed to extreme heat.

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear. Use water spray to cool exposed surfaces.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Water Fog

6. Accidental Release Measures

ENVIRONMENTAL MEASURES: No Information

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container and unused contents in accordance with local, state and federal regulations. Use personal protective equipment as necessary. Read all product instructions before using. Personal protective equipment should include impervious gloves, protective eye wear, and suitable work clothes. Scrape up dried material and place into containers. Uncured product is very sticky, so carefully remove the bulk of the foam by scraping it up and then immediately remove residue with a rag and solvent such as polyurethane cleaner, mineral spirits, acetone (nail polish remover), paint thinner, etc. Once the product has cured, it can only be removed physically by scraping, buffing, etc. Dispose as plastic waste (foam plastic) in accordance with all applicable guidelines and regulations.

7. Handling and Storage

HANDLING: KEEP OUT OF REACH OF CHILDREN!DO NOT TAKE INTERNALLY. Make sure nozzle is directed away from yourself prior to discharge. Keep away from open flames, hot surfaces and sources of ignition. Wear appropriate personal protection. Avoid breathing vapor and contact with eyes, skin and clothing. Use only with adequate ventilation. Ensure fresh air entry during application and drying. Do not breathe dust. While dry sanding, use of a NIOSH-approved dust mask is recommended. Wash thoroughly after handling. Contains isocyanates. See information supplied by the manufacturer. Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

STORAGE: Store away from sources of ignition and heat. Protect material from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store at temperatures above 120 degrees F. Store containers away from excessive heat

and freezing. Store away from caustics and oxidizers.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits				
Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
Polymeric diphenylmethane diisocyanate	N.E.	N.E.	N.E.	N.E.
2-Butyne-1,4-diol, polymer with (chloromethyl)oxirane, brominated, dehydrochlorinated, methoxylated	N.E.	N.E.	N.E.	N.E.
4,4'-Methylene diphenyl diisocyanate (MDI)	0.005 ppm TWA Methylene bisphenyl isocyanate (MDI)	N.E.	N.E.	0.02 ppm Ceiling, 0.2 mg/m3 Ceiling
1,1,1,2-Tetrafluoroethane (HFC-134A)	N.E.	N.E.	N.E.	N.E.
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."-(nitrilotri-2,1- ethanediyl)tris[.omegahydroxy-	N.E.	N.E.	N.E.	N.E.
Tris(2-chloro-1-methylethyl) phosphate	N.E.	N.E.	N.E.	N.E.
Poly[oxy(methyl-1,2-ethanediyl)], .alpha hydroomegahydroxy-, ether with .beta. D-fructofuranosyl .alphaD- glucopyranoside		N.E.	N.E.	N.E.
1,1,1,3,3-Pentafluoropropane	N.E.	N.E.	N.E.	N.E.
Oxirane, methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl) amino]methyl]-4-nonylphenol (5:1)	N.E.	N.E.	N.E.	N.E.
Triethyl phosphate	N.E.	N.E.	N.E.	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection



RESPIRATORY PROTECTION: When concentrations exceed the exposure limits specified, use of a NIOSH-approved dust, mist and fume respirator is recommended. Where the protection factor of the respirator may be exceeded, use of a full facepiece, supplied air, or Self Contained Breathing Apparatus (SCBA) may be necessary. No personal respiratory protective equipment normally required. If concentrations exceed the exposure limits specified, use of a NIOSH-approved supplied air respirator is recommended. Where the protection factor is exceeded, use of a Self Contained Breathing Apparatus (SCBA) may be necessary. A respiratory protection program that meets the OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.



SKIN PROTECTION: Wear nitrile, neoprene, or natural rubber gloves. Wear protective gloves.



EYE PROTECTION: Goggles or safety glasses with side shields.



OTHER PROTECTIVE EQUIPMENT: Provide eyewash and solvent impervious apron if body contact may occur.



HYGIENIC PRACTICES: Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

Appearance: Odor: Density, g/cm3: Freeze Point, °C: Solubility in Water: Decomposition Temperature, °C: Boiling Range, °C: Minimum Flash Point, °C: Evaporation Rate: Vapor Density: Combustibility: Cream Slight Solvent 0.38 - 1.23 Not Established No Information Not Established N.E. - N.E. Not Applicable Faster Than n-Butyl Acetate Heavier Than Air Does not support combustion Physical State: Odor Threshold: pH: Viscosity (mPa.s): Partition Coeff., n-octanol/water: Explosive Limits, %: Auto-Ignition Temperature, °C Vapor Pressure, mmHg: Flash Method: Flammability, NFPA: Foam Not Established Not Applicable Not Applicable Not Established Not Established Not Established Not Applicable Non-Flammable

(See "Other information" Section for abbreviation legend) (If product is an aerosol, the flash point stated above is that of the propellant.)

10. Stability and Reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Do not breathe dust. Avoid dust formation in confined areas. Excessive heat and freezing.

INCOMPATIBILITY: Incompatible with strong bases and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal decomposition products, i.e., COx, NOx.

11. Toxicological Information

EFFECT OF OVEREXPOSURE - INHALATION: Vapors may be irritating to eyes, nose, throat, and lungs. Inhalation of high concentrations may cause headache, nausea, and dizziness. Prolonged, repeated, or high exposures may cause irritation to the respiratory tract (nose, mouth, mucous membranes).

EFFECT OF OVEREXPOSURE - SKIN CONTACT: May cause sensitization by skin contact. May cause localized irritation, reddening or swelling. Prolonged or repeated exposure may lead to sensitization and/or contact dermatitis. This product has strong adhesive-like characteristics and will adhere aggressively to skin and other surfaces. If accidental contact occurs, follow the appropriate first-aid procedure described in Section 4 of this SDS.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Direct eye contact may cause irritation. May cause eye irritation. Mist and vapors may cause eye irritation. Foam contact can cause physical damage due to adhesive character.

EFFECT OF OVEREXPOSURE - INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

CARCINOGENICITY: No Information

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: Repeated or prolonged exposure may cause respiratory system damage. Repeated contact may cause allergic reactions in very susceptible persons. Prolonged or repeated inhalation of dust may cause lung damage.

PRIMARY ROUTE(S) OF ENTRY: Skin Contact, Inhalation, Eye Contact

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

<u>CAS-No.</u> 9016-87-9	Chemical Name Polymeric diphenylmethane diisocyanate	<u>Oral LD50</u> 49000 mg/kg Rat	Dermal LD50 >9400 mg/kg Rabbit	<u>Vapor LC50</u> N.I.
68441-62-3	2-Butyne-1,4-diol, polymer with (chloromethyl) oxirane, brominated, dehydrochlorinated, methoxylated	N.I.	N.I.	N.I.
101-68-8	4,4'-Methylene diphenyl diisocyanate (MDI)	31600 mg/kg Rat	9400 mg/kg Rabbit	N.I.
811-97-2	1,1,1,2-Tetrafluoroethane (HFC-134A)	N.I.	N.I.	N.I.

(SDS Number:	00047055508	SAP Nu	mber: 9700050130	Revis	sion Date: 11/29/2018
	37208-53-0	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-(nitrilotri-2,1- ethanediyl)tris[.omegahydroxy-		N.I.	N.I.	N.I.
	13674-84-5	Tris(2-chloro-1-methylethyl) phosphate	•	1500 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
	9049-71-2	Poly[oxy(methyl-1,2-ethanediyl)], .alph hydroomegahydroxy-, ether with .be fructofuranosyl .alphaD-glucopyranos	taD-	N.I.	N.I.	N.I.
	460-73-1	1,1,1,3,3-Pentafluoropropane		N.I.	N.I.	N.I.
	52019-35-9	Oxirane, methyl-, polymer with oxirane with 2,6-bis[[bis(2-hydroxyethyl)amino] methyl]-4-nonylphenol (5:1)		N.I.	N.I.	N.I.
	78-40-0	Triethyl phosphate		1100 - 1600 mg/kg Rat	>20000 mg/kg Rabbit	>8.2 mg/L Rat
	N.I. = No Info	rmation				

12. Ecological Information

ECOLOGICAL INFORMATION: No Information

13. Disposal Information

DISPOSAL INFORMATION: Contents under pressure. Dispose of material in accordance with all federal, state and local regulations. State and Local regulations/restrictions are complex and may differ from Federal regulations. Responsibility for proper waste disposal is with the owner of the waste. Liquids cannot be disposed of in a landfill. Before disposing of containers, relieve container of any remaining product and pressure. Empty cylinders, once relieved of all pressure, can be disposed of as non-hazardous waste.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No Information

DOT UN/NA Number:	UN3500
DOT Proper Shipping Name: DOT Technical Name:	Chemical under pressure, n.o.s. (Fluorinated hydrocarbon, Nitrogen)
DOT Hazard Class:	2.2 Non-flamm compressed gas
Hazard SubClass:	N.A.
Packing Group:	N.A.

15. Regulatory Information

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name

TOXIC SUBSTANCES CONTROL ACT:

All ingredients in this product are either on TSCA inventory list, or otherwise exempt. This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

CAS-No.

No TSCA 12(b) components exist in this product.


16. Other Information **Revision Date:** 11/29/2018 Supersedes Date: 10/15/2018 **Product Composition Changed** Reason for revision: Substance and/or Product Properties Changed in Section(s): 01 - Product Information 05 - Flammability Information 09 - Physical & Chemical Information 11 - Toxicological Information 16 - Other Information Datasheet produced by: **Regulatory Department** HMIS Ratings: Health: Flammability: **Reactivity:** Personal Protection: 2* 1 2 Х

- VOC Less Water Less Exempt Solvent, g/L: 0.3
 - VOC Material, g/L: 0
- VOC as Defined by California Consumer Product Regulation, Wt/Wt%: 0.0
 - VOC Actual, Wt/Wt%: 0.0

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

DAP believes the data and statements contained herein are accurate as of the date hereof. They are offered in good faith as typical values and not as a product specification. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE WITH REGARD TO THE INFORMATION HEREIN PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. Since this document is intended only as a guide to the appropriate use and precautionary handling of the referenced product by a properly trained person, it is therefore the responsibility of the user to (i) review the recommendations with due consideration for the specific context of the intended use and (ii) determine if they are appropriate.